

sb50



Technical Data



SB50 Base Specification

	Standard	Optional
Chassis & Frame		
Tubular stainless steel frame with high tensile main frame components welded to form a durable long life structure	•	
Wheelbase extension to suit 12.5m body	•	
Wheelbase extension to suite 13.5m or 14.5m body		o
Front tow eye	•	
Rear tow eye		o
Swing out battery carrier fitted complete with access door or slide out carrier as supplied with chassis	•	
No luggage bins	•	
Near side luggage bins – spare wheel fitted O/S		o
Full through luggage bins – twin		o
Spare wheel carrier supplied and fitted to near side of chassis complete with access door	•	
AdBlue tank fitted – chassis dependent	•	
Twin roof mounted air intake	•	
Front and rear skid plates	•	
Toolbox fitted to engine bay	•	
Two step entry to driver platform & one step to ramped aisle	•	
Flooring & Ramps		
Tarkett granit 2.0mm black	•	
Yellow step edging to step risers	•	
Saw tooth step edging to step risers		o
Studded tiles to base of step well and to top of steps – excludes drivers area	•	
Studded tiles to base of step well, top of steps, ramped isle and drivers floor		o
Floor vinyl to top of steps and base of step well		o
Saloon Windows		
Bonded fixed glass saloon windows	•	
Bonded fixed glass saloon windows with two N/S and O/S hoppers		o
Bonded fixed glass saloon windows with two N/S and O/S sliders		o
Bonded fixed glass with full hoppers		o
Bonded fixed glass with full sliders		o
Laminated ADR compliant two piece front windscreen	•	
Heat reflecting double grey tint to all saloon windows	•	
Anti graffiti, vandal and security film to all windows except emergency & drivers windows		o

	Standard	Optional
Saloon Windows (contd)		
Drivers window with fixed rear pane and toughened glass – excluding film	•	
Drivers window with fixed rear pane and toughened glass – with security film		o
Entry/Exit Door		
Rearward opening, single leaf front glide away door with quick release full height glass	•	
Door lock – key operated	•	
Painting		
Sign writing legals	•	
Single colour – white	•	
Fleet colours – two or three colours		o
Seating		
Custom Safe ADR 68 fixed seat belted seats trimmed in cloth – 57 or 61 pax		o
Custom Metro seats – 860mm base with 800mm rubber top		o
Custom Metro seats – 900mm base with 800mm rubber top		o
McConnell Schoolsafe seats		o
McConnell Educator seats		o
McConnell Commuter Mk I seats		o
McConnell Commuter Mk II seats		o
Styleride Orion seats		o
Styleride Traveller Common seats		o
Drivers Area & Modesty Panel		
Drivers seat – with mechanical suspension and air lumbar support	•	
Drivers seat – with mechanical suspension, headrest and air lumbar support		o
Drivers seat – with air suspension, head rest and three point seat belt		o
Drivers A/C boost fan and vents for driver's area	•	
Drivers overhead locker – two doors and LED light	•	
Single convex saloon mirror	•	
Left foot rest	•	
Cup holder & A4 log book holder	•	
Metagal single glass mirrors	•	
Metagal twin glass mirrors		o
Metagal single glass mirror to O/S and Metagal twin glass mirror to N/S		o

Standard
Optional

Drivers Area & Modesty Panel (contd)

Metagal electrically adjustable & heated mirrors	o
Mekra single glass mirrors	o
Mekra twin glass mirrors	o
Mekra single glass mirror to O/S and Mekra twin glass mirror to N/S	o
Mekra electrically adjustable & heated mirrors to N/S and O/S	o
O/S mirror at cant	•
O/S mirror at waist	o
N/S mirror viewed through windscreen	•
Drivers ¾ guided quick release windscreen blind	•
Drivers window blind – quick release roller blind	•
ADR68 Modesty fitted to N/S & O/S	•
Full height glass modesty to O/S & half modesty to N/S	o

Ticket System

Ticket machine stand	•
Cash box safe only	o
Cash box safe and Norwood cash box	o
Cash box safe and STA style cash tray	o
Cash box safe and Norwood cash register	o

Destination Signs

School bus/charter flip board	•
Destination roller mechanism fitted and painted with up to five names and routes on calico	o
LED front destination sign	o
Flip Dot front destination sign	o

Heaters

Heavy duty drivers heater demister with twin dash mounted vents	•
Off the floor saloon heater mounted under seats	o
Floor mounted saloon heater	o

Electrical

LED rear lamps	•
LED day time running lights	•
Fluorescent saloon lights with integrated speakers	•
Fluorescent saloon lights without speakers	o

Standard
Optional

Electrical (contd)

LED engine bay light	•
Reversing buzzer	•
Rear engine door access safety switch	•
Reversing camera and drivers monitor	o
Radio and CD system supplied and installed	•
Radio, PA and CD system complete with microphone and 'swing out' arm	o
Two way radio – power and aerial wiring supplied and installed	o
Two way radio – supplied and installed	o
Supply and fit one to four camera security system	o

Exterior

Aluminium skirt panels	•
Fibreglass waist panels	•
Fibreglass rear bumper with recessed number plate	•
Plastic style wheel arches	•
Spray suppressant brush wheel arches	o
Polycarbonate headlight protection covers	o
Supply and fit fold down stoneguard	o

Interior

Fire extinguisher fitted to scuttle	•
Rubbish bin fitted to scuttle	•
White silica formica to interior side walls	•
Sky blue formica to interior side walls	o
Stainless laminate to interior side walls	o
Four wired bus stop buzzers fitted to stainless steel ceiling hand rail to O/S (NSW)	o
One stainless steel ceiling hand rail to O/S (NSW)	o
School bus flasher for state registration	•
School bus decals for state registration	•

Air Conditioning

Heat/cool A/C	•
Modular "charcoal" coloured thermoplastic ducting with fixed air vents and hinged for access to ducting and electrical services	•
Modular "sand" coloured thermoplastic ducting with fixed air vents and hinged for access to ducting and electrical services	o
Custom air return grill	•

